The boundary described herein for the Crescent Lake District (the District) lies wholly within Section 07, Section 08, Section 16, Section17, Section 18, Section 20, and Section 21 Town(ship) 36 North, Range 08 East, in the Town of Crescent, Oneida County, Wisconsin. The District consists of riparian properties within the described boundary. GIS mapping, available Oneida County survey maps, and available Oneida County Register of Deeds documents were used to transcribe the boundary description. Where appropriate, the specific survey map and/or document are referenced within the description. Some boundary locations were additionally referenced to ensure the proper location was noted.

Generally Described As:

The District boundary is generally described as follows: Part of GL01 lying in Section 07 T36N R08E; Part of GL03, part of GL04, part of GL06, part of GL07, all lying in Section 08 T36N R08E: Part of GL01, part of GL02, part of GL09, and part of GL10, all lying in Section 16 T36N R08E; Part of GL01, part of GL02, part of GL03, part of GL04, part of GL05, and part of GL06, all lying in Section 17 T36N R08E; Part of GL01, part of GL04, and part of GL05, all lying in Section 18 T36N R08E; Part of GL01, part of GL02, part of GL03, part of GL04, and part of GL05, all lying in Section 20 T36N R08E: Part of GL01, all of GL03, part of GL04, part of GL09, and part of GL10, all lying in Section 21 T36N R08E.

Specifically Described As:

The point of the beginning being the U.S.G.L.O. Section Corner at the SE Corner Section 08 T36N R08E, OCID 3608080000, this being in common with the SW corner of Section 09, NW corner of Section16, and NE corner of Section 17 all in T36N R08E, thence S03°00'00'W along the East N-S Section Line Section 17 T36N R08E, to an iron pipe located on the south side of a private drive, (310 ft +/-)

This location is also described as beginning at the U.S.G.L.O Meander Corner on the intersection of the East N-S Section Line, Section 17 T36N R08E with the E-W Government Lot Line in common for GL01 and GL02, both in Section 17 T36N R08E, OCID 3608173800, and commencing N03°00'00"E along the said Section Line to the said $\frac{3}{4}$ " diameter iron pipe located on the south side of a private drive (158 ft +/-), reference Oneida County survey map B658,

Thence S65°30'00"E along the north lot line described in Oneida County Survey Map B658 to the northwesterly right-of-way of South Rifle Road GL01 Section 16 T36N R08E, (174 ft +/-), thence meandering in a southwesterly and southerly direction along the westerly right-of-way of South Rifle Road crossing the E-W 1/4- 1/4 Section Line in common for GL 01 to GL 02 both in Section 16 T36N R08E, and crossing the West N-S Section Line Section 16 T36N R08E into GL02 Section 17 T36N R08E, the NE corner of Lot 16 Crescent heights, described as a 1 ½" diameter iron pipe in Oneida County Certified Survey Map 4090 (1812 ft +/-), thence, N72°43'00"W along the north lot line of Lot 16 Crescent Heights described in said survey map to a 1" diameter iron pipe (260 ft +/-), thence S48°57'52"W along the lot line of said Lot 16 to a 1¹/₄" diameter pipe (109 ft +/-), thence S11°19'24"W along the lot line of said Lot 16 to a 1¹/₄" diameter iron pipe (101 ft +/-), thence S72°41'19"E along the south lot line of said Lot 16 to a 1" diameter iron pipe in the northwestern right-of-way of South Rifle Road (212 ft +/-), thence meandering southwesterly and southerly along the western right-of-way of said road to the intersection with Green Bass Road (524 ft +/-), thence generally southeasterly crossing over South Rifle Road to the southwestern right-of-way of Green Bass Road at the said road intersection (75 ft +/-), thence meandering southerly and southeasterly along the westerly rightof-way of Green Bass Road, crossing Idlewood Lane, a private road, and crossing the East N-S Section Line, Section 17 T36N R08E into GL02 Section 16 T36N R08E, to the NE corner of Lot 1 described in Oneida County Certified Survey Map 3480 and identified in said survey map as a 1" diameter iron pipe located in the right-of-way of said road (860 ft +/-), thence S63°54'18"W along the lot line of said lot to a 1" diameter iron pipe at the northwest corner of said lot (346 ft +/-), thence S53°21'49"E along the lot line of said lot to a 1" diameter iron pipe (152 ft +/-), thence S20°31'56"E along the lot line of said lot to a 1" diameter iron pipe located at the intersection of the western lot line of said lot with the South Line of GL02 in common North Line GL09, both in Section 16 T36N R8E (163 ft +/-),

This location is also identified as beginning at the U.S.G.L.O. West Quarter Corner of Section 16 T36N R08E, OCID 3608172000, thence S00°22'48"W to the U.S.G.L.O. Meander Corner, OCID 3508171300, (866 ft +/-), thence S66°16'23"E to said pipe identified above (212 ft +/-), reference Oneida County Certified Survey Map 3480,

Thence S20°31'56"E along the lot line of said lot to a 1" diameter iron pipe (61 ft +/-), thence S05°49'41"W along the lot line of said lot to a 1" diameter iron pipe at the southwest corner of said lot, and lying on the E-W \(^1/4\)-\(^1/4\) Section Line in common for GL09and GL10, both in Section 16 T36N R08E (266 ft +/-), thence N89°01'15"E along the lot line of said lot to a 1" diameter iron pipe at the westerly right-of-way of Green Bass Road (208 ft+/-), thence southerly along the western right-of-way of Green Bass Road, crossing South E-W Section Line of Section 16 T36N R08E into GL10 Section 21 T36N R08E, to the south right-of-way at the corner on Green Bass Road, GL10 Section 21 T36N R8E (1641 ft +/-), thence meandering easterly along the southern right-of-way of Green Bass Road crossing the N-S 1/4-1/4 Section Line in common for GL09 and GL10, both in Section 21 T36N R8E, to the northeast corner of Lot 2 described in Oneida County Certified Survey Map 2047 and identified as a 1½" diameter iron pipe at said lot corner (1020 ft +/-), thence S17°38'24"E along the northeast lot line of said lot to a 1½" diameter iron pipe (387 ft +/-) this location lying on the northwest lot line of Lot 2 Oneida County Certified Survey Map 4334, thence N72°02'17"E along the lot line of Lot 2 described in Oneida County Certified Survey Map 4334 to a 1" diameter iron pipe in the southwest right-of-way of Green Bass Road (185 ft +/-), thence S25°47'35"E along the lot line of said lot and in common with the southwestern right-of-way of Green Bass Road to a 3/4" iron rod described in said map (222 ft +/-),

This location is also identified from Certified Survey Map 4334 beginning at the U.S.G.L.O. South Quarter Corner Section 16 T36N R08E, OCID 3608160020, and commencing S29°19'22"W to the U.S.G.L.O. Meander Corner on the shore of Crescent Lake, OCID3608213228, (1583 ft +/-), thence N02°49'22"E to a 1" iron pipe at the easternmost corner of Lot 1 of said survey map (502 ft +/-), thence N25°47'35"W to said iron rod in the right of way of said road (128 ft +/-),

Thence east across Green Bass Road to the northeast right-of-way of Green Bass Road and in common with an iron pipe described as the west corner of Unit 1 Condominium Plat of Crescent Shores in Oneida County Register of Deeds Document 685665 (91 ft +/-), thence N54°35'29"E along the northwest lot line of said lot to a ¾" diameter iron pipe (107 ft +/-), thence N85°22'24"E along said parcel lot line to a ¾" diameter iron pipe (10 ft +/-), thence

S47°02'44"E along said parcel lot line crossing the East Line of GL09 into GL01 both in Section 21 T36N R08E to a ¾" diameter iron pipe (245 ft +/-), thence S13°20'54"E along said parcel lot line to a ¾" diameter iron pipe (37 ft +/-), thence S24°52'02"W along said parcel lot line to a ¾" diameter iron pipe (30 ft +/-), thence S42°15'46"W along said parcel lot line to a ¾" diameter iron pipe (74 ft +/-), thence S14°04'08"W along said parcel lot line to a ¾" diameter iron pipe (197 ft +/-), thence S06°19'00"E along said parcel lot line to a 1" diameter iron pipe, the said iron pipe also lying on the north lot line of the lot described in Oneida County survey map B466 (48 ft +/-),

This location is also identified beginning at the U.S.G.L.O. Meander Corner near the shore of Crescent Lake on the West Line GL01 in common with the East Line GL09 Section 21 T36N R08E, OCID 3508213228, thence N12°14'16"W (100 ft +/-) to a 1' diameter iron pipe on the south lot line of the Condominium Plat of Crescent Shores, Register of Deeds Document 685665, thence N77°20'59"E along said lot line to a 1" diameter iron pipe (168 ft +/-), thence N79°13'40"E (88 ft +/-) along said lot line to said 1"diameter iron pipe,

Thence N79°08'58"E along the north lot line described in Oneida County survey map B466 to a 3/4" diameter iron pipe at the NE corner of said lot described in said survey map (30 ft +/-), thence S17°25'58"W along the lot line of said lot to a 3/4" diameter iron pipe, the location of said pipe being in common with northwest corner of Parcel B identified in Oneida County survey map L944 (45 ft +/-), thence along the east lot line described in survey map B466 S17°25'58"W to 3/4" diameter iron pipe (70 ft +/-), thence S17°25'58"W continuing along said lot line to an iron pipe in common with the north lot line of Parcel A Oneida County Survey Map L944 (231 ft +/-), thence N88°46'46"E along the north parcel line of Parcel A Map L944 to an iron pipe located on the shore of Emma Lake (104 ft +/-), thence meandering south southwesterly along the shore of Emma Lake to the South Line of GL01 in common the North Line of GL03, both in Section 21 T36N R08E (300ft+/-), thence meandering south southwesterly along the shore of Emma Lake GL 03 Section 21 T36N R08E to the East-West Quarter Section Line in common for GL 03 and GL05 both in Section 21 T36N, R8E (1704 ft +/-),

Note: No bearings, U.S.G.L.O Monument references, nor distances are recorded for GL 03 Section 21 T36N R08E. Register of Deeds document 785861 recorded August 30, 2018 reaffirms the claim by the State of Wisconsin Board of Commissioners of Public Lands as the owner, when ownership of the lands transferred from the United States of America to the State by Federal Swamp Land Patent No 10 of the Wausau District dated November 11, 1881. This is in accordance with an Act of Congress of the United States of America, which was approved September 20, 1850. The lands have remained in the possession of the State of Wisconsin and have not been sold or transferred since November 11, 1881. This Government Lot has not been surveyed other than to denote the Forty-Government Lot Lines at the north between GL03 and GL01 Section 21 T36N R8E and at the south between GL 03 and GL05 Section 21 T36N R8E. The shoreline distance on Lake Emma for GL03 was estimated using the GIS Mapping online tools available. The boundary line between GL03 and GL 05 can be described by Oneida County Survey Map L2431 as follows:

Beginning at the U.S.G.L.O East Quarter Corner, Section 20 T36N R08E, in common with the West Quarter Corner Section 21 T36N R08E, OCID 3608202000, N80°16'E, along the East-West Quarter Section Line in common between GL04 and GL05 Section 21 T36N R08E to the southeast 1/8 corner GL04 Section 21 T36N R08E (1489.62 ft), thence along said bearing and quarter section line (line common to GL3 and GL 5 in section 21 T36N R8E) to the shore of Emma Lake (101.5 ft)

Thence from the western shore of Emma Lake along the E-W Quarter Section Line in common between GL03, GL04 and GL05 all in Section 21 T36N R8E, S80°16'W (sic Register of Deeds document 413044 and Oneida County Survey Map L2431) to the U.S.G.L.O East Quarter Corner Section 20 T36N R8E in common with the West Quarter Corner Section 21 T36N R08E, OCID 3608202000 (1591 ft +/-), thence N80°04'W along the E-W Quarter Section Line Section 20 T36 R08E to the southeast right-of-way of the intersection of Crescent Road and South Melody Lane (1125 ft +/-), thence generally north across South Melody Lane at said intersection and across North Melody Lane, a private road, to the west corner of Parcel No 8 identified as having an iron

pipe in place, Oneida County Survey Map B676 (55 ft +/), thence N71°51'E along the north parcel line of said parcel identified in said survey map to an iron pipe (267 ft +/-), thence along said north parcel line N68°22'E to an iron pipe (199 ft +/-), thence along said parcel line N70°50'E crossing over said private drive to an iron pipe (80 ft +/-), thence along said parcel line S83°00"E to an iron pipe in common with the southwest corner of Parcel No 7 identified in said survey map (68 ft +/-), thence N33°56'W along the west parcel line of said parcel in said survey map and in common with the west parcel lines of Parcels A, B, C, D, and E of said survey map to an iron pipe located at the west corner of Parcel E of said survey map, this location being in common with the northwest corner of Parcel No 5, Oneida County Survey Map B649 (602 ft +/-), thence along the north parcel line of Parcel No 5, Oneida County Survey Map B649 N52°22' E to an iron pipe (245 ft +/-), thence N58°46'W to an iron pipe located at the south corner of the end of Virginia Lane, a private road (240 ft +/-), thence N19°31'E to an iron pipe at the north corner of the end of said private road, being in common with the south corner of Lot 2 of Oneida County Certified Survey Map 1155 (50 ft +/-), thence N66°18'45"W to an iron pipe at the west corner of Lot 2 of Oneida County Certified Survey Map 1155 (130 ft +/-), the following describes the inclusion of Outlot 2 of CSM 1155 with an ownership hook to Lot 1 of said survey map: thence S19°30'45"W across said private road to an iron pipe at the northeast corner of Outlot 2 of said survey map (50 ft +/-), thence S24°17'30" E to an iron pipe (155 ft +/-), thence N65°42'30" W to an iron pipe on the east right-of-way of Bible Camp Road (359 ft +/-), thence $N5^{\circ}55^{\circ}W$ (30 ft +/-) to an iron pipe, thence $N56^{\circ}25^{\circ}25^{\circ}E$ to an iron pipe (26 ft +/-), thence curving east [Curve Data R=158.19'; L.C.=N75°47'E; Arc=106.9'] to an iron pipe (107 ft +/-), thence S84°51'25"E to an iron pipe (120 ft +/-), thence S66°18'45"E returning to an iron pipe at the northeast corner of Outlot 2 of said survey map, thence N19°30'45"E across said private road returning to the west corner of Lot 2 of said survey map, this point being in common with the southeast corner of Lot 1 of said survey map, thence N66°18'45"W to an iron pipe at the west corner of Lot 1 of said survey map, thence N84°51'25"W to an iron pipe on the north side of Virginia Lane, a private road, (128 ft +/-), thence curving toward the west-southwest [Curve Data: R=207.69'; L.C.=S75°47W 137.70'; Arc = 140.36] to an iron pipe in the east right-of-way of Bible Camp Road (140 ft +/-),

- 1) This location is also identified in Oneida County Certified Survey Map 1155 by beginning at the U.S.G.L.O. East Quarter Corner Section 20 T36N R08E, OCID 3608202000, thence N16°39'15"W along the East N-S Section Line of said Section to the U.S.G.L.O. Meander Corner on the southern shore of Crescent Lake GL01 Section 20 T36N R08E, OCID 3608202400, (617 ft +/-), thence N55°19'15"W to an iron pipe (711 ft +/-), thence N65°42'30"W to an iron pipe on the east right-of-way of Bible Camp Road (662 ft +/-), thence N05°55'W to said iron pipe (87 ft +/-),
- 2) This location is in common with the southwest corner of Lot 1 of Oneida County Certified Survey Map 2679 (Document 553212),

Thence N13°09'05"W to an iron pipe at the northwest corner of Lot 1 of Oneida County Certified Survey Map 2679 (227 ft +/-), thence S83°07'07"W to the N-S ¼-¼ Section Line in common for GL01 and GL02 Section 20 T36N R08E (24 ft +/-)

This location is also described in Oneida County Certified Survey Map 1596 as beginning at the U.S.G.L.O. East Quarter Section 20 T36N R08E , OCID 3608202000, and in common with the West Quarter Section 21 T36N R08E, thence N80°00'23"W along the E-W Quarter Section Line to the East 1/8 Corner GL02 Section 20 T36N R08E (1189 ft +/-), thence N11°35'00"W along the N-S ¼-¼ Section Line in common for GL01 and GL02 Section 20 T36N R08E to an iron pipe in the eastern right-of-way of Bible Camp Road (234 ft +/-), thence across said road N24°08'31"W to an iron pipe in the west right-of-way of said road (115 ft +/-), thence along the said right-of-way N11°35'00"W to an iron pipe at the end of said road (1053 ft +/-), thence N82°49'17"E to the N-S ¼-¼ Section Line in common for GL01 and GL02 Section 20 T36N R08E, and also in common with the centerline of the end of said road (25 ft +/-),

Thence N11°35'00"W along the East ¼-¼- Section Line GL02 T36N R08E to an iron pipe referenced in Oneida County Register of Deeds Document 267082 (208 ft +/-), thence N70°20'W to an iron pipe identified in said reference (392 ft +/-), thence N79°00'W to an iron pipe in said reference (448 ft +/-),

Note: There is an apparent gap of approximately 26 ft continuing southwest from this point. An area of confusion exists, see Oneida Survey Map B4671 and Oneida County Certified Survey Map 1596, and certain boundary lines do not match. Additionally there appears to be possible duplicate boundary lines for the West N-S Quarter Section Line of GL02 Section 20 T36N R08E, see said maps and Certified Survey Map 3804. The bearing and distance of the different west lines of said GL02 are enough to shift the continuing survey lines to meet this point. Additionally, this area involves a vacated Town Road and the records are not clear. The continuation of the boundary description acknowledges this gap and resumes beginning at point described as beginning at the southwest corner of GL02 Section 20 T36N R08E, thence along the West N-S Quarter Section Line of said GL02 N05°56'14"W to an iron pipe (1168 ft +/-), thence N35°E (490 ft +/-), thence N65°W (138 ft +/-), as described in Oneida County Register of Deeds Document 165195,

Thence S65°E (138 ft +/-), thence S35°W to an iron pipe on the West N-S Quarter Section Line of GL02 Section 20 T36N R08E (490 ft +/-), thence N65°23'12"W to an iron pipe in common with the east lot line of Lot 1 Oneida County Certified Survey Map 3804 (411 ft +/-), thence S09°52'41"W along the lot line of said lot to a 1" iron pipe at the southeast corner of said Lot 1(148 ft +/-), thence along the south lot line of said Lot 1 S89°53'25"W to a 1" iron pipe on the east right-of-way of Apple Lane and in common with the southwest corner of Lot 1 Oneida County Certified Survey Map 1630, being identified as the "Point of Beginning" in said map, (395 ft +/-), thence along the east right-of way of said road N00°09'59"E to an iron pipe in common with the southwest corner of Lot 1 of Oneida County Certified Survey Map 1630 (255 ft +/-), thence N0°10'00"E to a 11/4" iron pipe marking the end of Apple Lane and lying on the south lot line of the parcel described in Oneida County Survey Map B7954 (100 ft +/-), thence S84°52'W along said lot line to the southwest corner of said lot described in said map (151 ft +/-), thence along western lot line of said lot N11°53'W to the northwest corner of said lot and lying on the east lot line described in Oneida County Register of Deeds document 317974 (178 ft +/-), thence S04°51'00"W along the lot line to an iron pipe described in said document 317974 (181 ft +/-), thence S85°21'00"W along the lot line crossing the N-S ¼-¼ Section Line in common for GL03 and GL05 both in Section 20 T36N R08E to an iron pipe (211 ft +/-), thence

N00°58'20"W along the lot line crossing the E-W ¼-¼ Section Line in common for GL05 and GL04 both in Section 20 T36N R08E, to an iron pipe and in common with the location identified as the Point of Beginning of the second parcel described in said document 317974 (298 ft +/-), thence N00°58'20"W of said lot in described in said document to an iron pipe and in common with the Point of the Beginning for the first parcel described in said document 317974 and in common with the northeast corner of Lot 6 Oneida County Certified Survey Map 583 (251 ft +/-), thence N77°18'40"W along the north lot line of Lot 6 of said parcel to an iron pipe (321 ft +/-), thence along the south side of a Tony's Bay Road, a private road, S71°39'00"W to the northwest corner of Lot 4 of said map, and in common with the northeast corner of Lot 3 of Oneida County Certified Survey Map 582 (314 ft+-), thence S72°10'45"W to an iron pipe in the eastern right-of-way of Crescent Road (381 ft +/-), thence generally northwest across said private drive along the right-of-way of Crescent Road to the southwest corner of the lot described in Oneida County Survey Map B949 and intersected by the West N-S Section Line Section 20 T36N R08E (66 ft +/-), thence along the south lot line described in Oneida County Survey Map C335 being the north side of an easement for Tonys Bay Road, a private road, N72°05'E to an iron pipe in common with the southwest corner of Lot 1 of Oneida County Certified Survey Map 3240 (636 ft +/-), thence N58°11'52"E to the southeast corner of said Lot 1 (160 ft +/-), thence N06°50'27"W to a 1" iron pipe identified in said map (393 ft +/-), thence N85°23'50"E to an iron pipe identified in said map (29 ft +/-), thence N05°59'28"W to a 1½" iron pipe identified in said map and in the southern right-of-way of Lair Drive and intersected by the E-W Section Line in common for Section 20 and Section 17 both in T36N R08E (311 ft +/-),

This point is also described as beginning at the U.S.G.L.O.Witness Corner Section 20 T36N R08E on the shore of Crescent Lake, OCID 3608170031, thence west along the E-W Section Line in common for Section 20 and Section 17 both in T36N R08E to said 1½" iron pipe (475 ft +/-),

Thence N76°48'04"W along the north lot line described for Lot 1 Oneida County Certified Survey Map 3240 to a 1" iron pipe 105 ft+/-), thence S24°17'56"W along said lot line to a 1" iron pipe (35 ft +/-), thence S89°54'29"W along said lot line and in common with the South E-W Section Line Section 17 T36N R08E to an iron pipe at the northwest corner of said lot in said

map (113 ft +/-), this location in common with the southwest corner of Lot 9 Zahn-Kelly-Jewell Lots described in Oneida County Survey Map B5886, thence N25°57'02"E along the western lot line of Lot 9 Zahn-Kelly-Jewell Lots described in Oneida County Survey Map B5886 to an iron pipe in the north right-of-way of Lair Drive (141 ft +/-) thence meandering northwesterly along the northerly said right-of-way to the West N-S Section Line Section 17 T36N R08E in common with to the East N-S Section Line Section 18 T36N R08E (660 ft +/-), thence meandering westerly along the right-of-way of said road in GL04 Section 18 T36N R08E to the eastern right-of-way of Crescent Road (992 ft +/-), thence north-northwesterly along the eastern right-of-way of said road to an iron pipe at the southernmost corner of Lot D of Oneida County Survey Map B1905 (778 ft +/-), thence along the east lot line of said lot N15°02'E to an iron pipe in the southern right-of-way of Wausau Road crossing the E-W ¼-¼ Section Line in common for GL04 and GL05 Section 18 T36N R08E (340 ft +/-), thence easterly along the southern right-of-way of said road to the East N-S Section Line Section 18 T36N R08E in common with the West N-S Section Line Section 17 T36N R08E (1372 +/-),

This point is also described as beginning at the U.S.G.L.O. North Witness Meander Corner on the shore of Crescent Lake and located on the East N-S Section Line for GL 05 Section 18 T36N R08E in common with the West N-S Section Line GL 05 Section 17 T36N R08E, OCID 3608181300, and thence North along said N-S Section Line to the southerly right-of-way of Wausau Road (482 ft +/-),

Thence meandering northeasterly along the southeasterly right-of-way of Wausau Road to the E-W Quarter Section Line in common for GL05 and GL04 both in Section 17 T36N R08E (1470 ft +/-), thence meandering northeasterly then northerly along the southeasterly and easterly right-of-way of said road to an iron pipe on the southeast lot line of Lot 39 of the Crescent Lake Subdivision identified on Oneida County Survey Map A3042 (1465 ft +/-), thence S56°07'50"W to a 3/4" iron pipe at the south corner of said lot (84 ft+/-), thence N35° 23'47"W to a 1" iron pipe at the westernmost corner of said lot and in common with the northern inside corner of Lot 1 in Oneida County Certified Survey Map 4828 (99 ft +/-), thence N38°09'37"W crossing the E-W 1/4-1/4 Section Line in common for GL04 and GL03 both in Section 17 T36N R08E to a 1" iron pipe noted as the Point of the Beginning (POB) on Certified Survey Map 4828 (115 ft +/-),

The POB in the said map is referenced to a computed position beginning at the West Quarter Corner Section 17 T36N R08E, thence N00°17'04"W to the computed position (1429.45 ft), thence N90°00'00"E to the POB (980.44 ft),

Thence N38°09'37"W to the shore of Mirror Lake (17 ft +/-), thence meandering northerly and northwesterly along the shore of said lake and along the westerly right-of-way of Wausau Road to the lot line for Lot 43 of Crescent Lake Subdivision as described in Oneida County Survey Map B109 (230 ft +/-), thence N37°47'W to an iron pipe at the westernmost corner of said lot (33 ft +/-), thence N47°48'E to the northeasterly right-of-way of Wausau Road (57 ft +/-), thence meandering northwesterly along said right-of-way to the West N-S Section Line Section 17 T36N R08E in common with the East N-S Section Line Section 18 T36N R08E (1205 ft +/-), thence northwest along the northeastern right-of-way of said road to the North E-W Section Line Section 18 in common with the South E-W Section Line Section 07 both in T35N R08E (441 ft +/-), thence meandering northerly along the eastern right-of-way of said road to an iron pipe (707 ft +/-) to the NW corner of Lot 7, Oneida County Survey Map A2530, thence N01°40'30"W along the eastern right-of-way of said road to the southern right-of-way of US Hwy 8 at the intersection of said roads (54 ft +/-), thence generally northeast along the southern right-of-way of US Hwy 8 to the East N-S Section Line Section 07 in common with the West N-S Section Line Section 08 both in T36N R08E (368 ft +/-), thence continuing northeast along said right-ofway to the N-S Fractional Line in common for GL03 and GL04 both in Section 08 T36N R08E (1260 ft +/-), thence continuing easterly along said right-of-way to the western right-of-way of Detienne Road at the intersection of US Hwy 8 and Detienne Road (823 ft +/-), thence meandering southeasterly along the western right-of-way of Detienne Road to the N-S Quarter Section Line in common for GL04 and GL06 both in Section 8 T36N R08E, this location being in common with an iron pipe at the northwest corner of Parcel A in Oneida County Survey Map C337 (467 ft +/-), thence S54°49'E along the north lot lines to an iron pipe at the northeast corner of Parcel B of said survey map, and in common with the northwest corner of the lot described in Oneida County Survey Map B155 (233 ft +/-), thence S54°49'E to an iron pipe at the northeast corner of the lot described in Oneida County Survey Map B155, in common with the northwestern corner of Parcel 4 of Oneida County Certified Survey Map 1034 (216 ft +/-),

thence along the northern lot line of said parcel S79°24'47"E to an iron pipe (182 ft +/-), thence along the lot line and road easement of said parcel N17°37'30"E to an iron pipe in the right-of-way of Pleasure Point Road (258 ft +/-), thence along the southwestern right-of-way of said road to an iron pipe at the northeast corner of Parcel 2 Oneida County Survey Map C337 (436 ft +/-), thence north-northeast across said road to the intersection of the northeast right-of-way of said road and intersected by N-½-½ Section Line in common for GL06 and GL 07 both in Section 08 T36N R08E, this point in common with an iron pipe described in Oneida County Survey Map A2533, thence N02°14'42"E along the West ¼-¼ Section Line of GL 07 of said section to an iron pipe in the right-of-way of US Hwy 8 (416 ft +/-), thence generally east along the southern right-of-way of said highway to a 1½" iron pipe at the East N-S Section Line Section 08 T36N R08E in common with the West N-S Section Line Section 09 T36N R08E (1035 ft +/-), thence S00°27'40"E along the said Section Line to the U.S.G.L.O. Section Corner Monument, OCID 3608080000, being the point of the beginning (1064 ft +/-).

Wisconsin, Oneida County, Town of Crescent